

GENIEMAT[®] FF05NP-S

Sound Control Underlayment



Product Specification

Product Name: **GenieMat FF05NP-S**

Material: Robust reduced sound transmission mat made from 94% recycled material.

Description: Designed to reduce the transmission of impact sound generated by footfall noise for various types of structures for both residential and commercial use. Can be used directly under screed or gypsum concrete in concrete, steel and wood construction.

- Features and Benefits:
- Tested by 3rd party accredited laboratories to significantly reduce impact sound
 - Mould, bacteria, fungi, and water resistant
 - Qualifies for LEED[®] points
 - Easy to install
 - Will not fail under high point loads
 - CE Marked

Dimension: Sheets: 1.22 m wide, 2.13 m long

Coverage: 2.6 m²

Thickness: nom. 5 mm (4.5mm +/- 0.5mm) (tolerances are pursuant to ISO 3302-1)

Roll Weight: 8.9 kg/sheet

Sheets/pallet: 100



GENIEMAT[®] FF05NP-S

Sound Control Underlayment



Technical Data

Building code: Meets and improves on Approved Document E impact performance requirement.


Tensile Strength & Elongation at Break (ASTM D412) ≥ 0.48 MPa $\geq 45\%$

Type A Hardness (ASTM D2240): 45durometer

Temperature Stability: -40°C to $+115^{\circ}\text{C}$ (-40°F to $+240^{\circ}\text{F}$)

Thermal resistance (R-value): 0.038 ($\text{m}^2\text{K}/\text{W}$)

Thermal transmittance (U-value): 26.6 ($\text{W}/(\text{m}^2\text{K})$)





AROUND THE WORLD.



PLITEQ INC.

131 Royal Group Crescent
Vaughan, ON
L4H 1X9 Canada

T. + 1 416 449 0049

info@pliteq.com
www.pliteq.com

PLITEQ (UK) LTD.

Irongate House
22-30 Dukes Place
London
EC3A 7LP

T. + 44 203 9846444

info@pliteq.co.uk
www.pliteq.co.uk

PLITEQ BUILDING MATERIALS TRADING LLC.

European Business Centre
Dubai Investment Park
PO Box 473 512
Dubai, UAE

T: +971 4 567 4944

info@pliteq.ae
www.pliteq.ae

PLITEQ ASIA PACIFIC PTE LTD.

101 Cecil Street #19-13
Tong Eng Building Singapore
069533

T. +65 8452 6865

info@pliteq.sg
www.pliteq.sg



© Pliteq Inc.

®™ Trademarks of Pliteq Inc. The information provided is accurate to the best of our knowledge at the time of issue. However, we reserve the right to make changes when necessary without further notification. Suggested application may need to be modified to conform with local building codes and conditions. We cannot accept responsibility for products that are not used, or installed, to our specifications. All listed dimensions are nominal.